

Description

The AJAX Popup Module places the content of any Content Item with a soft fade-in-effect. Contained AJAX-Statements, for example AJAX-Thick- or Lightbox, will proceed as normal. Since the Popup-code is written into the mainframe, popup blocker can't detect and stop the Popup.

Any content will be displayed flashy but discreet.

Position, view, speed/rate of Fade-In and the number of appearance per browser session can be individual adjusted for each copy of the module.

Valid XHTML 1.0 Strict-output.


Tested crossbrowser-compatibility:

- Windows (XP): MSIE 6.0 or 7.0, Netscape 7.1, Opera 9.25, Firefox 2.0
- MAC (OS X): Safari 1.3.2 or Firefox 2.0
- Linux (Ubuntu 7.06): Firefox 2.0
- PNG-24 transparency-alpha-channel-support for MSIE < 7
(CSS for PNG-background-pictures: background: url(...) is not supported! You may install an external png-24-fix)

The module is licensed under the free GNU/GPL. Two different translations are available (English, German).

Use this module only in **Joomla! Versions 1.5.x native mode!**

Parameters



Joomla! is Free Software released under the GNU/GPL License.

Set individual parameters for any existing copy of the module.

To hide the module-title set the parameter „show title“ to „no“.

1. Fill in the Content ID of the desired Content Item
2. Type a class suffix (if useful) (Default= „popup“)
3. absolute position of the left top corner
4. total height and width (no difference if with or without title). If content overflows, scroll bars will appear.
5. a small value accelerates the fade-in-speed
6. a small value (smallest value = 1) fade-in more softly (many smooth fade-in-steps)
7. if the title bar is set to hide, there is no way to close the popup manual. Useful if the popup-content contains (a) linked picture(s)
8. This text will be shown in the title bar at the top of the popup-area.
9. text-color of the title (hexadecimal notation)
10. background-color of the title (hexadecimal notation)
11. height of title bar (px). A mouse click on this area closes the popup.
12. Total number of appearance per browser session. A large value (e.g. 1000) means that the popup will be opened at each page-call. If you don't want to bother your site-visitors, reduce the number of appearance to 1 or 2.

Further popup-styles have to be defined in the template-stylesheet (css).

CSS

```
<div class="popup(_class suffix)">
```

```
<div class="popuptitle">  
<a id="popuplink">title</a></div>
```

```
<div>
```

```
content ...
```

```
</div>
```

```
</div>
```

This (left) illustrates the html-output of the popup-module.

The popup will be written dynamic with an absolute position (css) into the actual content. This enables the popup to appear anywhere you like. Other content won't be affected.

Included DHTML-Scripts or embed objects, like e.g. Flash-animations, proceed as normal.

Our homepage for example, uses the popup with transparent background and without title bar:



Have some fun with our Ajax-Popup Module and the Joomla! CMS.